Tri-Creaser Fast-Fit Advance System

Fast-Fit Tri-Creaser with Advance Female to fit 30mm exit shaft

Stock Code: FF-MF/30-FP-DSF-01-B

Shaft Size: 30mm Exit Shaft
Outer Diameter: 50mm

SETTINGS



Additional Information

How it works...

Instead of the traditional metal receiving grooves in the previous Tri-Creaser Fast-Fit, the nylon Female Receiver Rings are fitted with a special profile designed to apply a double-reverse crease either side of the male creasing rib.




If fibre cracking is not a problem these deep and penetrating nylon ribs are ideal for laminated and section work:

FF-PC/30-R
FF-PC/30-B
FF-PC/30-Y
FF-PC/30
Red light crease
Blue medium crease
Yellow heavy crease
FF-PC/30
Black extra heavy crease

White Very Narrow Female Receiver Ring (FF-DSF/30-NY-W):

used to crease material weights between 60-200gsm



Contents of Package

1x Male Creasing Rib Holder Component (M): contains the split gripper crease ribs

1x Orange Split Gripper Crease (M-160B):

used to crease material weight between 85-150gsm

1x Blue Split Gripper Crease (M-159B):

used to crease material weight between 150-250gsm

1x Yellow Split Gripper Crease (M-158B):

used to crease material weight between 250-350gsm

1x Extraction Tool:

used to remove the inserts from Male Component

1x Black Gripper Band (M-51):

used to support and feed sheet through the device

1x **Female Receiver Holder Component (F):** holds receiver rings in which material is pressed

1x Red Female Receiver Ring (FF-DSF/30-NY-R):

used to crease material weights between 85-150gsm

1x Blue Female Receiver Ring (FF-DSF/30-NY-B):

used to crease material weights between 150-250gsm

1x Yellow Female Receiver Ring (FF-DSF/30-NY-Y):

used to crease material weights between 250-350gsm



Tech 475 / Tech 474